

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	31	(pulse adj width) with (fan adj control)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 11:10
L2	2	(amplitude or sinusoidal) with (fan adj control)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 11:13
L3	117	(amplitude or sinusoidal) and (fan adj control)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 11:14
L4	43	(amplitude or sinusoidal) and (fan adj control) and (conditioner or conditioning)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 11:33
L5	175582	single adj main stator	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 11:33
L6	0	single adj main adj stator	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 11:34
L7	820	single adj stator	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 11:34
L8	2	single adj stator with fan	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 11:38
L9	565	increase with speed same (low adj voltage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 11:39

L10	0	increase adj speed same (low adj voltage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 11:40
L11	0	increase adj speed same (low adj voltage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 11:40
L12	125	increase adj speed same (low adj voltage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 11:40
L13	5	increase adj speed same (low adj voltage) same (fan or blower)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 11:50
L14	8	(defrost adj sensor) with coil	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 11:58
L15	31	(defrost adj sensor) with evaporator	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 12:56
L16	507	(remote adj control) with (air adj conditioning)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 12:58
L17	5	(remote adj control) with (air adj conditioning) same (radio adj frequency)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 12:58

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	constand with speed same fan	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 07:34
L2	2156	constant with speed same fan	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 07:34
L3	98	constant with speed same fan same (air adj conditioning)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 08:11
L4	1670	adjusted with speed same (fan or blower)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 08:12
L5	268	adjusted with speed same (fan or blower) and (air adj conditioning)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 08:12
L6	59	adjusted with speed same (fan or blower) same (air adj conditioning)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 08:13
L7	0	adjusted adj speed same (fan or blower) same (air adj conditioning)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 08:13
L8	7	adjusted adj speed same (fan or blower) and (air adj conditioning)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 08:44
L9	18	adjusted adj speed with motor same fan	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 08:58

L10	497	(amplitude or sinusoidal) with fan	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 08:59
L11	17	(amplitude or sinusoidal) with (fan adj speed)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 09:23
L12	453	voltage with (fan adj speed)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 09:23
L13	65	voltage with (fan adj speed) and (air adj conditioning)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 09:23